WETLAND DELINEATION

FOR

ORCHARD PLACE

(PLACER COUNTY, CALIFORNIA)

July 9, 2004

Prepared for:

Rivendale Homes



WETLAND DELINEATION

CONTENTS

ORCHARD PLACE

1.0	INTRODUCTION	1
	SURVEY METHODOLOGY	
	EXISTING SITE CONDITIONS	
	3.1 Vegetation Communities	
4.0	WATERS OF THE U.S.	
	4.1 Jurisdictional Wetlands	
	4.1.1 Seasonal Wetlands	
	4.2 Other Waters	7
	4.2.1 Man-made Stock Pond	7
	4.3 Interstate of Foreign Commerce Connection	7
5.0	CONCLUSION	

LIST OF FIGURES

Figure 1 – Project Site and Vicinity Map Figure 2 – Wetland Delineation Map

Figure 3 – NRCS Soil Types

LIST OF APPENDICES

Appendix A – Wetland Delineation Map

Appendix B – Wetland Delineation Data Sheets

Appendix C – Plant List

1.0 INTRODUCTION

On behalf of Rivendale Homes, ECORP Consulting, Inc. has conducted a wetland delineation of the 6.3-acre Orchard Place property located in Placer County, California.

The Orchard Place property is located in the town of Loomis. It is south of Taylor Road, northeast of Del Oro High School, north of rural residential parcels, and west of the Lemos Ranch development (Figure 1 – *Project Site and Vicinity*). This site corresponds to a portion of Section 3, Township 11 North, and Range 7 East of the "Rocklin, California" 7.5-minute quadrangle (U.S.D.A. Geological Survey, photo revised 1981). The project is located within the Lower American watershed (#18020111).

APPLICANT:

AGENT:

Attn:

Gunther Boccius

Rivendale Homes

1160 N. Dutton Ave., Ste. 240

Santa Rosa, California 95401

Phone:

(707) 569-3040

Fax: (707) 569-3044

Attn:

Mr. Michael Buchalski

ECORP Consulting, Inc.

2260 Douglas Boulevard, Suite 160

Roseville, California 95661

Phone:

(916) 782-9100

Fax:

(916) 782-9134

2.0 SURVEY METHODOLOGY

The wetland delineation was conducted on May 20, 2004, during which time ECORP biologists Michael Buchalski and Keith Kwan walked and visually inspected the site. This wetland delineation was conducted in accordance with the *Corps of Engineers Wetlands Delineation Manual* (Environmental Laboratory 1987) and prepared in accordance with the *Minimum Standards for Acceptance of Preliminary Wetland Delineations* (U.S. Army Corps of Engineers 2001). According to these methods, wetlands are defined as: "Those areas that are inundated or saturated by surface or groundwater at a frequency and duration sufficient to support, and that under normal circumstances do support, a prevalence of vegetation typically adapted for life in saturated soil conditions." This definition emphasizes the combination of hydric soil, hydrophytic vegetation, and hydrologic criteria. At a minimum, at least one set of paired data




FIGURE 1. Project Site and Vicinity Map



points were documented for each wetland feature type. The following information was collected at each data point:

- Plant species were identified and their relative cover recorded to assess whether the hydrophytic vegetation criterion was met;
- Obvious indicators of wetland hydrology were recorded. These indicators included inundation, soil saturation, oxidized root channels, etc.; and
- Soil pits were dug to a maximum depth of 16 inches, or until refusal, and the soil
 examined for hydric soil indicators. Typical hydric soil indicators include mottles (spots
 of contrasting color), gleying (bluish or greenish coloration), or dark gray coloration
 (chroma of 1 or less in un-mottled soils, 2 or less in mottled soils).

A color aerial photograph (1"=1200,' flown on November, 2002) was utilized to assist with mapping and ground-truthing. A *Munsell Soil Color Chart* (Kollmorgen Instruments Corp. 1990) was used to identify hydric soils in the field and the *Jepson Manual* (Hickman 1994) and *Common Wetland Plants of Central California* (Fielder 1996) were used for plant identification. Wetland boundaries were assessed through data point collection, review of aerial photographs, and visual inspection. Wetland boundaries that could not easily be interpreted from aerial photography were walked using a TrimbleTM GPS Pathfinder Pro XR receiver with a TSCe data collector to comply with the sub-meter accuracy requirement. Each data point coordinate location is on the attached wetland delineation map Figure (Figure 2) (Attachment A). The wetland delineation data sheets have been included as Attachment B. A corresponding list of plants observed at those data points is presented in Attachment C.

3.0 EXISTING SITE CONDITIONS

The site is comprised of leveled and gently rolling terrain, and is situated at an elevation of approximately 420 to 440 feet above mean sea level. According to the *Soil Survey of Placer County Western Part, California* (U.S.D.A. Soil Conservation Service 1980), two soil units, or types, have been mapped on the site (Figure 3 – *NRCS Soil Types*). These are: (106) Andregg coarse sandy

FIGURE 2. Wetland Delineation

ECORP Consulting, inc.




FIGURE 3. NRCS Soil Types

loam, 2-9 percent slopes and (194) Xerofluvents, frequently flooded. Both of these soil types contain either listed hydric soil components or inclusions.

Hydric soils form under sufficiently wet conditions to develop anaerobic conditions and support growth of hydrophytic vegetation. More specifically, hydric soils are ones that meet the definition and criteria developed by the National Technical Committee for Hydric Soils (NTCHS). These soils are compiled into national, state, and county hydric soil lists (*Hydric Soil Lists* - U.S.D.A. Soil Conservation Service 1992). Local soil survey reports were examined to determine if listed hydric soils are documented as occurring onsite. It should be noted that areas meeting hydric soil criteria must also meet hydrophytic vegetation or wetland hydrologic criteria in order to be classified as jurisdictional wetlands.

3.1 Vegetation Communities

Orchard Place is comprised of non-native annual grassland and orchard. The non-native annual grassland is comprised of non-native weedy species such as medusa head grass (*Taeniatherum caput-medusae*), cut-leaved geranium (*Geranium dissectum*), ripgut brome (*Bromus diandrus*), wild oats (*Avena fatua*), and yellow-star thistle (*Centaurea solstitialis*). The orchard is comprised of peach (*Prunus persica*). The trees within the orchard are evenly spaced throughout the site and average approximately 10 feet in height. The understory of the trees is made up of non-native annual grassland species. A few Valley oak (*Quercus lobata*) and interior live oak (*Quercus wislizenii*) are located throughout the property.

4.0 WATERS OF THE U.S.

Potential waters of the U.S. that were mapped onsite include jurisdictional wetlands (0.450 acre), consisting of seasonal wetlands (0.331 acre) and "other waters" in the form of a manmade stock pond (0.119 acre).

4.1 Jurisdictional Wetlands

4.1.1 Seasonal Wetlands

Seasonal wetlands are ephemerally wet areas where runoff accumulates within low-lying depressions and/or adjacent to watercourses. These areas most likely remain inundated for extended periods into the spring and summer. A total of 0.331 acre of seasonal wetland has been mapped. The vegetative composition of these seasonal wetlands is comprised of tall flatsedge (*Cyperus eragrostis*), vulpia (*Vulpia bromoides*), Dallas grass (*Paspalum dilatatum*), ryegrass (*Lolium multiflorum*), dock (*Rumex* species), Himalaya blackberry (*Rubus discolor*), willow (*Salix* species), and Valley oak (*Quercus lobata*).

4.2 Other Waters

4.2.1 Man-made Stock Pond

There is a man-made stock pond present at the site. The pond appears to be used for irrigation of the adjacent orchard. The pond appears to have a hydrologic connection with downstream jurisdictional water bodies. The stock pond is approximately 0.119 acre in size and has been included in the total acreage calculation for jurisdictional wetlands.

4.3 Interstate or Foreign Commerce Connection

Due to the rolling topography of the site, overland flows of rainwater congregate within the seasonal wetland features and pond. As water levels increase, water will top these features, flow offsite via drainage swales and man-made drainage features, and will ultimately contribute to the Secret Ravine watershed. Secret Ravine is a tributary to Dry Creek, which eventually flows into the American River system. The wetland features present, excluding the man-made drainage ditch, should be considered connected with and/or adjacent to a Waters of a U.S. and would, therefore, be connected with interstate and/or foreign commerce.

5.0 CONCLUSION

Potential waters of the U.S. that were mapped include jurisdictional wetlands in the form of seasonal wetlands (0.331 acre), and "other waters" in the form of a man-made stock pond (0.119 acre). Any impact to the natural wetland features would likely require permitting pursuant to Section 404 and 401 of the federal Clean Water Act.

LEASTFOLF ANTICKOLIMIENTS

Attachment A - Wetland Delineation Map

Attachment B — Wetland Delineation Data Sheets

Attachment C Plant List

ATEIACHMENTA

Wetland Delineation Map.

ATTACHMENTER

Wetland Delineation Data Sheets

ECORP Consulting, Inc. ENVIRONMENTAL CONSULTANTS

ROUTINE WETLAND DELINEATION

Project/Site:	Overhand Pl	all	E	oate:5/z@	104	Sampl	e Point: Ø	1
Applicant/Owner:	Livendala	Commu	initias F	ield Investigator(s): <u>M. Bu</u>	chalski,	K. Kuan	
County: Placeu		_ State:	<u> </u>	lant Community:	Auni	al gras	sland	
Quad(s):	Rocklin, C	<u> </u>	S	ection/Township/	Range: Sac	.3/T.11	N/R.7	E
Do normal environmen	tal conditions exist	t site? Yes 🛛 N	fo 🛛 If no, ex	plain:				
Atypical Situation? Ye	s ⊠ No □ Expla	in: Irrigat	tion has	enhanced	wolland	1 featu	'vn	
Is this a potential Probl	em Area? Yes 🕦	No ⊔ Explain	:_Saas	mal woth	and			
VEGETATION					HYDROI	PHYTIC VE	GETATION? Y	es 1231- 1
Dominant Species	Ind. Status	Stratum Rel. 9	6 Cover	Dominant Specie			Rel. % Cover	
1)CYP ERE	FACW	<u> </u>	50 5)	QUE LOB			5Ø	
2) _ VUL BRO	FACW_	Η						
3) RUB DIS	FACW*	S 16						
4) _ SAL god_	FACW+	T 5						
Percentage of dominant	species that are OF	BL, FACW, and	or FAC [exc]	uding EAC 1				
Comments:		, ,	· or rare [exer	dung i AC-j,	<u> </u>	100 %		
Secondary Indicators (2 Oxidized Root Channel Comments:	els in Upper 12 in.	☐ Water-staine	d Leaves 🗖 L	ocal Soil Survey	Data 🛘 FAC-N	eutral Test 🔾	Other	
OILS						HVDDI	IC COTT CO. V	NA 3.7
Series/Phase: 194 -	Xevofluver	ute fin	are the	Clooded	•		IC SOILS? Yes	MIN
Taxonomy [Subgroup]:	Xevo	luvante	Thermic			Drainage Cla		
☐ Histosol ☐ Histic Epi			Moisture Regi	me 🗆 Reducing	Conditions D		p Type: Yes 🗆	No 🔀
- Ingh Organic Content	in Surface Layer in	ı Sandy Soils 🗀	Organic Stre	aking in Sandy S	oils 🛛 Listed o	n Hudria Can	nroma Colors L	J Conc
Inclusions [Series/Phase]	:						Soils List: Yes	
Depth (in.)	orizon <u>Matri</u>	x Color	Mottle Color		bund/Contrast/Si		re, Concretions, St	
	104E	23/3			bue		andy loans	
						-		
							•	
Comments								
Comments:								
DECISION *				WETLA	ND / WATERS		NATION? Yes	
DECISION * Rationale: All +	hraa critari	a were	mat.	WETLA	ND / WATERS			
DECISION *	hraa critari	a were	mat.	WETLA! Wetland Type:			NATION? Yes	

ECORP Consuling, Inc. ENVIRONMENTAL CONSULTANTS

ROUTINE WETLAND DELINEATIC

Project/Site:	Overland	8 10.00		a (a.d	
Applicant/Owner:	Rivaradala	Constitution	Date: 3/24	Sample Point: 0	Z
County: F	lacence	State: CA	Field Investigator(s)	: M. Buchalski, K. Kin	an
Ouad(s):	Pklin	, CA	, -	Annual grassland	
Do normal environm	ental conditions ex	yiot site? V - 57 N D -	Section/Township/R	ange: Sec. 3/ T. IIN / R	IE
Atypical Situation?	Yes D No M Ev	nlain:	f по, explain:	ange. Ac. 5/ 1. IN / K.	
Is this a potential Pro	oblem Area? Yes [□ No 🖾 Explain:	· · · · · · · · · · · · · · · · · · ·		
VECETATION		230 😅 23срани			
			_	HYDROPHYTIC VEGETATION?	Yes 🗆
Dominant Specie		Stratum Rel. % Cover	Dominant Species		
		Η 3Φ			
		<u>H</u> <u>3</u> Ø	6)		_
3)			. 7)		
4)			8)		
reicentage of domina	int species that are	OBL, FACW, and/or FA	C [excluding FAC-]:	af ? - 50 m	-
Comments:				- 30 %	
Recorded Data: Yes C Depth of surface water Primary Indicators:	□ No 🖾 If yes,(: □ Inundated □ Sati	in.) Depth to free water	in pit: (in. Water Marks 🗆 Drift Line	Dorth to	
Recorded Data: Yes C Depth of surface water Primary Indicators: C Secondary Indicators Comments:	No A If yes,	in.) Depth to free water urated in Upper 12 in. ed): n. Water-stained Leav	in pit:(in. Water Marks □ Drift Line es □ Local Soil Survey De	Depth to saturated soil: Sediment Deposits 🗆 Drainage Patt The set is a sediment Deposit in the sediment Deposit in	_ (in.) ems in V
Recorded Data: Yes C Depth of surface water Primary Indicators: C Secondary Indicators Comments:	No A If yes,	in.) Depth to free water urated in Upper 12 in. ed): n. Water-stained Leav	in pit: (in. Water Marks 🗆 Drift Line	Depth to saturated soil: Sediment Deposits Drainage Patt The property of the	_ (in.) erns in V
Recorded Data: Yes C Depth of surface water Primary Indicators: C Secondary Indicators Comments: C	I No ☐ If yes,(: Inundated ☐ Sate (2 or more require nuels in Upper 12 in	in.) Depth to free water urated in Upper 12 in. ed): n. Water-stained Leav	in pit:(in. Water Marks □ Drift Lind es □ Local Soil Survey Da	Depth to saturated soil: Sediment Deposits Drainage Patt The property of the	_(in.) erns in V
Recorded Data: Yes C Depth of surface water Primary Indicators: C Secondary Indicators Control Comments: C SOILS Series/Phase: 106 Taxonomy [Subgroup]:	No B If yes,	in.) Depth to free water urated in Upper 12 in. ed): n. Water-stained Leav Coarse sandy I	in pit: (in. Water Marks □ Drift Line es □ Local Soil Survey Dr	Depth to saturated soil: Sediment Deposits Drainage Patt The property of the	_(in.) erns in \ (es \(\text{N} \)
Recorded Data: Yes C Depth of surface water Primary Indicators: C Secondary Indicators Comments: Comments: Soils Series/Phase: 106 Taxonomy [Subgroup]: Histosol D Histic E	I No B If yes,	in.) Depth to free water urated in Upper 12 in. ed): n. Water-stained Leav Coarse sandy I Haploxero	in pit: (in. Water Marks □ Drift Line es □ Local Soil Survey Dri	Depth to saturated soil: Sediment Deposits Drainage Patt ata FAC-Neutral Test Other HYDRIC SOILS? Drainage Class: well decomposite of the part of	_(in.) erns in \ Yes \(\text{N} \)
Recorded Data: Yes C Depth of surface water Primary Indicators: C Secondary Indicators Comments: Comments: 106 Taxonomy [Subgroup]: Histosol Histic E High Organic Conter	I No B If yes,	in.) Depth to free water urated in Upper 12 in. ed): n. Water-stained Leav coarsa sandy I Haploxaro codor Aquic Moistur	in pit: (in., Water Marks Drift Line es Local Soil Survey Date Local Soil Survey Date Local Soil Survey Date Local Soil Survey Date Local Soil Survey Date Local Soil Survey Date Local Soil Survey Date Local Soil Survey Date Local Soil Survey Date Local Soil Survey Date Local Soil Survey Date Local Soil Survey Date Local Soil Survey Date Local Soil Survey Date Local Soil Survey	Depth to saturated soil: Sediment Deposits □ Drainage Patt ata □ FAC-Neutral Test □ Other HYDRIC SOILS? Drainage Class: well deed Confirm Map Type: Yes conditions □ Gleyed/Low Chroma Colors	_(in.) erns in V Yes \(\text{N} \) \(\text{N} \) \(\text{N} \) \(\text{Con} \)
Recorded Data: Yes C Depth of surface water Primary Indicators: C Secondary Indicators Comments: Comments: SOILS Series/Phase: 106 Taxonomy [Subgroup]: Histosol D Histic E D High Organic Conter Inclusions [Series/Phase	No ☐ If yes,	in.) Depth to free water urated in Upper 12 in. ed): n. Water-stained Leav coarsa sandy I Haploxaro codor Aquic Moistur	in pit: (in., Water Marks Drift Line es Local Soil Survey Date Local Soil Survey Date Local Soil Survey Date Local Soil Survey Date Local Soil Survey Date Local Soil Survey Date Local Soil Survey Date Local Soil Survey Date Local Soil Survey Date Local Soil Survey Date Local Soil Survey Date Local Soil Survey Date Local Soil Survey Date Local Soil Survey Date Local Soil Survey	Depth to saturated soil: Sediment Deposits □ Drainage Patt ata □ FAC-Neutral Test □ Other HYDRIC SOILS? Drainage Class: well deed Confirm Map Type: Yes conditions □ Gleyed/Low Chroma Colors	_ (in.) erns in V ess D aived No Con
Recorded Data: Yes C Depth of surface water Primary Indicators: C Secondary Indicators Comments: Comments: SOILS Series/Phase: 106 Taxonomy [Subgroup]: Histosol D Histic E D High Organic Conter Inclusions [Series/Phase	I No B If yes,	in.) Depth to free water urated in Upper 12 in. ad): n. Water-stained Leav Coarse sandy Haploxero Codor Aquic Moistur in Sandy Soils Organ	in pit: (in. Water Marks □ Drift Line es □ Local Soil Survey De cam Ils re Regime □ Reducing Con ic Streaking in Sandy Soil drain age ways	Depth to saturated soil: Sediment Deposits Drainage Patt ata FAC-Neutral Test Other HYDRIC SOILS? Drainage Class: well decomposite of the part of	(in.) erns in V erns in V a.v. d No Cone er es No Structure
Recorded Data: Yes C Depth of surface water Primary Indicators: C Secondary Indicators Comments: SOILS Series/Phase: 106 Taxonomy [Subgroup]: Histosol Histic E High Organic Conter Inclusions [Series/Phase Depth (in.)	I No B If yes,	in.) Depth to free water urated in Upper 12 in. ad): n. Water-stained Leav Coarse sandy Haploxero Codor Aquic Moistur in Sandy Soils Organ ad Soils Mott	in pit: (in. Water Marks □ Drift Line es □ Local Soil Survey De cam Ils re Regime □ Reducing Con ic Streaking in Sandy Soil drain age ways	Depth to saturated soil: Ses Sediment Deposits Drainage Patter HYDRIC SOILS? Drainage Class: Well deed Confirm Map Type: Yes onditions Gleyed/Low Chroma Colors Listed on Hydric Soils List: Yes ond/Contrast/Size) Texture, Concretions	(in.) erns in V erns in V a.v. d No Con er es No No Structure
Recorded Data: Yes C Depth of surface water Primary Indicators: C Secondary Indicators Comments: SOILS Series/Phase: 106 Taxonomy [Subgroup]: Histosol Histic E High Organic Conter Inclusions [Series/Phase Depth (in.)	I No B If yes,	in.) Depth to free water urated in Upper 12 in. ad): n. Water-stained Leav Coarse sandy Haploxero Codor Aquic Moistur in Sandy Soils Organ ad Soils Mott	in pit: (in. Water Marks □ Drift Line es □ Local Soil Survey De cam Ils re Regime □ Reducing Con ic Streaking in Sandy Soil drain age ways	Depth to saturated soil: Ses Sediment Deposits Drainage Patter HYDRIC SOILS? Drainage Class: Well deed Confirm Map Type: Yes onditions Gleyed/Low Chroma Colors Listed on Hydric Soils List: Yes ond/Contrast/Size) Texture, Concretions	(in.) erns in V erns in V a.v. d No Con er es No Structure
Recorded Data: Yes C Depth of surface water Primary Indicators: C Secondary Indicators Comments: SOILS Series/Phase: 106 Taxonomy [Subgroup]: Histosol Histic E High Organic Conter Inclusions [Series/Phase Depth (in.)	I No A If yes,	in.) Depth to free water urated in Upper 12 in. Ded): n. Water-stained Leav Coarse sandy Haploxero codor Aquic Moistur in Sandy Soils Organ rix Color Mott YEH/3	in pit:(in. Water Marks □ Drift Line es □ Local Soil Survey De aum S re Regime □ Reducing Conic Streaking in Sandy Soil alwain age ways le Color	Depth to saturated soil: Ses Sediment Deposits Drainage Patt The set of Sediment Deposits Drainage Patt The sediment Depo	(in.) erns in V erns in V a.v. d No Con er es No Structure
Recorded Data: Yes C Depth of surface water Primary Indicators: C Secondary Indicators Comments: Comments: Soils Series/Phase: 106 Taxonomy [Subgroup]: Histosol D Histic E D High Organic Conter Inclusions [Series/Phase	No B If yes,	in.) Depth to free water urated in Upper 12 in. Ded): n. Water-stained Leav Loavesa sandy Haploxavo c Odor Aquic Moistur in Sandy Soils Organ in Sandy Soils Motty Lad Soils Motty LYPH/3	in pit:(in. Water Marks □ Drift Line es □ Local Soil Survey Dr aam Ils re Regime □ Reducing Con ic Streaking in Sandy Soil drain age ways le Color Mottle (Abu	Depth to saturated soil: Sediment Deposits Drainage Patt Tata FAC-Neutral Test Other HYDRIC SOILS? Drainage Class: well de Confirm Map Type: Yes Onditions Gleyed/Low Chroma Colors S Listed on Hydric Soils List: Other On Hydric Soils List: Yes nd/Contrast/Size) Texture, Concretions. Sandy land	_ (in.) erns in V erns in V a.v.ed No V contract es M N Structure — DG
Recorded Data: Yes C Depth of surface water Primary Indicators: C Secondary Indicators Comments: SOILS Series/Phase: 106 Taxonomy [Subgroup]: Histosol Histic E High Organic Conter Inclusions [Series/Phase Depth (in.)	I No ☐ If yes,	in.) Depth to free water urated in Upper 12 in. ed): n. Water-stained Leav Coarsa sandy I Haploxaro Codor Aquic Moistur in Sandy Soils Organ ad Soils in a trix Color Mott YEH/3	in pit:	Depth to saturated soil: Ses Sediment Deposits Drainage Patt The set of Sediment Deposits Drainage Patt The sediment Depo	_ (in.) erns in V erns in V a.v.ed No V contract es M N Structure — DG
Recorded Data: Yes C Depth of surface water Primary Indicators: C Secondary Indicators Comments: SOILS Series/Phase: 106 Taxonomy [Subgroup]: Histosol Histic E High Organic Conter Inclusions [Series/Phase Depth (in.)	I No ☐ If yes,	in.) Depth to free water urated in Upper 12 in. Ded): n. Water-stained Leav Coarse sandy Haploxero codor Aquic Moistur in Sandy Soils Organ rix Color Mott YEH/3	in pit:	Depth to saturated soil: Sediment Deposits Drainage Patt Tata FAC-Neutral Test Other HYDRIC SOILS? Drainage Class: well de Confirm Map Type: Yes Onditions Gleyed/Low Chroma Colors S Listed on Hydric Soils List: Other On Hydric Soils List: Yes nd/Contrast/Size) Texture, Concretions. Sandy land	_ (in.) erns in V erns in V a.v.ed No V contract es M N Structure — DG

ECORP Consulting, Inc. ROUTINE WETLAND DELINEATION ENVIRONMENTAL CONSULTANTS Project/Site: Ovchard Place Date: 5/20/04 Sample Point: 03 Applicant/Owner: Rivandala Communities Field Investigator(s): M. Buchalski K. Kwan State: CA Plant Community: Aurual grass land Placer Rocklin CA Section/Township/Range: Sac 3/T.11N/R.7E Do normal environmental conditions exist site? Yes ♣ No ☐ If no, explain: _____ Atypical Situation? Yes 🖾 No 🗆 Explain: Is this a potential Problem Area? Yes 🗆 No 💆 Explain: - VEGETATION -HYDROPHYTIC VEGETATION? Yes 🗗 No Dominant Species Ind. Status Stratum Rel. % Cover Dominant Species Ind. Status Stratum Rel. % Cover 1) TYP spa OBL 7Ø 5) _____ H 2) QUE LOB FAC * _T__ 6) _____ ___ ____ 60 8) ______ Percentage of dominant species that are OBL, FACW, and/or FAC [excluding FAC-]: Zof Z = 1000 % Comments: ___

HYDROLOGY	
Recorded Data: Yes D No 🔁 If yes,	WETLAND HYDROLOGY? Yes 🔀 N
Depth of surface water: (in.) Depth to free water in pit: (in.) Primary Indicators: □ Inundated □ Saturated in Upper 12 in. □ Water Marks □ Drift Lines Secondary Indicators (2 or more required):	🛮 Sediment Deposits 🗘 Drainage Patterns in W
☐ Oxidized Root Channels in Upper 12 in. ☐ Water-stained Leaves ☐ Local Soil Survey Data Comments:	☐ FAC-Neutral Test ☐ Other
Series/Phase: 106 - Andragg Coarsa Sandy Icam Taxonomy [Subgroup]: Typic Haploxarolls Histosol Histic Epipedon Sufidic Odor Aquic Moisture Regime Reducing Conc High Organic Content in Surface Layer in Sandy Soils Organic Streaking in Sandy Soils Inclusions [Series/Phase]: Unamad soils in dramageways Depth (in.) Horizon Matrix Color Mottle Color Mottle (Abundo	Confirm Map Type: Yes No let litions Gleyed/Low Chroma Colors Conc Conc Listed on Hydric Soils List Other On Hydric Soils List: Yes let No let liter Contrast/Size) Contrast/Size) Texture Concretions, Structure
Rationale: Feature is man-made. Two of three criter General comments: Stock pond excavated in decompos	edvock. WATERS DETERMINATION? Yes & No. Tic were met. Ed granity. Stock pond
	Copyright ©2003 ECORP Consulting, In

ECORP Consulting, Inc. ENVIRONMENTAL CONSULTANTS

ROUTINE WETLAND DELINEATIC

County:	CEAR	State:	Plant Community:	M. Buchalski, K. Knan Annual grassland
Quad(s):	LOCKIN,	_CA	Section/Township/Ra	ange: 500 3/T 1/A1/07F
Atypical Situation? Vo	tal conditions e	xist site? Yes 🔁 No 🗖 If	no, explain:	
110) prom Grandon: 10	2 - 140 (FR EX	piam:		
VEGETATION				HYDROPHYTIC VEGETATION? Yes □
Dominant Species	Ind. Status	Stratum Rel. % Cover		
1) _ CON ARV	N/L	_ Н _ 36	5)	
2) VUL BRO	FACW	H 25	6)	
3)			7)	
				of Z = 50 %
Comments:	-F with MO	ODE, I'ACW, and/of PAC	lexcluding FAC-]:	0+2 = 50 %
Depth of surface water: Primary Indicators: I	nundated 🗆 Sat	(in.) Depth to free water in turated in Upper 12 in. O	n pit: (in.) Water Marks 🗆 Drift Line	Denth to notice to di
Primary Indicators: Secondary Indicators (2) Oxidized Root Channel	nundated Sat or more requirels in Upper 12	(in.) Depth to free water in turning the control of the control o	n pit: (in.) Water Marks □ Drift Line s □ Local Soil Survey Da	Depth to saturated soil: (in.)
Primary Indicators: Secondary Indicators (2 Oxidized Root Channel Comments:	nundated Sat or more requirels in Upper 12	(in.) Depth to free water inturated in Upper 12 in. ed): in. Water-stained Leave	n pit: (in.) Water Marks □ Drift Line s □ Local Soil Survey Da	Depth to saturated soil: (in.) Sediment Deposits D
Primary Indicators: Primary Indicators: Secondary Indicators (2 Oxidized Root Channel Comments: COILS	nundated Sat or more requir els in Upper 12	(in.) Depth to free water inturated in Upper 12 in. □ ed): in. □ Water-stained Leave	n pit: (in.) Water Marks □ Drift Line s □ Local Soil Survey Da	Depth to saturated soil: (in.)
Primary Indicators: Primary Indicators: Secondary Indicators (2) Oxidized Root Channel Comments: Series/Phase:	nundated Sat or more requirels in Upper 12	(in.) Depth to free water in the track in Upper 12 in. ed): in. Water-stained Leave	n pit: (in.) Water Marks □ Drift Line s □ Local Soil Survey Da	Depth to saturated soil: (in.) Sediment Deposits □ Drainage Patterns in □ Ita □ FAC-Neutral Test □ Other HYDRIC SOILS? Yes □ 1
Depth of surface water: Primary Indicators: Secondary Indicators (2 Oxidized Root Channe Comments: COILS Series/Phase: Taxonomy [Subgroup]:	nundated Sat or more requirels in Upper 12:	(in.) Depth to free water: turated in Upper 12 in. ed): in. Water-stained Leave	n pit: (in.) Water Marks □ Drift Line s □ Local Soil Survey Da	Depth to saturated soil: (in.) Sediment Deposits □ Drainage Patterns in ta □ FAC-Neutral Test □ Other HYDRIC SOILS? Yes □ I Drainage Class:alldvaiw.
Depth of surface water: Primary Indicators: Secondary Indicators (2 Oxidized Root Channel Comments: Series/Phase: Taxonomy [Subgroup]: Histosol Histic Epi	nundated Sat or more requirels in Upper 12:	(in.) Depth to free water interacted in Upper 12 in. ed): in. Water-stained Leave GG COANSE SCHOOL Haplo Kanolls ic Odor Aquic Moistur	n pit: (in.) Water Marks Drift Line s Local Soil Survey Da	Depth to saturated soil: (in.) Sediment Deposits □ Drainage Patterns in □ ta □ FAC-Neutral Test □ Other HYDRIC SOILS? Yes □ 1 Drainage Class: Confirm Map Type: Yes □ No □
Depth of surface water: Primary Indicators: Secondary Indicators (2 Oxidized Root Channel Comments: SOILS Series/Phase: Histosol Histic Epi High Organic Content	inundated Safe or more requirels in Upper 12: 6 - Andra Typic pedon Suffidition Surface Layer	(in.) Depth to free water inturated in Upper 12 in. ed): in. Water-stained Leave GC COOKSE SCEN Haplo Karolls ic Odor Aquic Moistur r in Sandy Soils Organ	n pit: (in.) Water Marks □ Drift Line s □ Local Soil Survey Da dy loam e Regime □ Reducing Co	Depth to saturated soil:
Primary Indicators: Primary Indicators: Secondary Indicators (2 Oxidized Root Channel Comments: GOILS Series/Phase: Histosol Histic Epi High Organic Content Inclusions [Series/Phase]:	nundated Sat or more requirels in Upper 12: 6 - Andra Typic pedon Sufidi in Surface Layer	(in.) Depth to free water thursted in Upper 12 in. ed): in. Water-stained Leave GG COANSE Same Haplo Karolls ic Odor Aquic Moistur r in Sandy Soils Organ and soils in d	m pit:(in.) Water Marks Drift Line S Local Soil Survey Da dy loam Regime Reducing Co ic Streaking in Sandy Soils wanage ways	Depth to saturated soil: (in.) Sediment Deposits □ Drainage Patterns in the late □ FAC-Neutral Test □ Other HYDRIC SOILS? Yes □ In Drainage Class: Listed on Hydric Soils List: □ Other On Hydric Soils List: Yes □ No the
Primary Indicators: Primary Indicators: Secondary Indicators (2 Oxidized Root Channel Comments: GOILS Series/Phase: Histosol Histic Epi High Organic Content Inclusions [Series/Phase]:	nundated Sat or more requirels in Upper 12: 6 - Andra Typic pedon Sufidi in Surface Layer	(in.) Depth to free water thursted in Upper 12 in. ed): in. Water-stained Leave GG COANSE Same Haplo Karolls ic Odor Aquic Moistur r in Sandy Soils Organ and soils in d	m pit:(in.) Water Marks Drift Line S Local Soil Survey Da dy loam Regime Reducing Co ic Streaking in Sandy Soils wanage ways	Depth to saturated soil: (in.) Sediment Deposits □ Drainage Patterns in Ita □ FAC-Neutral Test □ Other HYDRIC SOILS? Yes □ I Drainage Class: Lock or No to the conditions □ Gleyed/Low Chroma Colors □ Constant of the conditions □ Confirm Map Type: Yes □ No to the conditions □ Gleyed/Low Chroma Colors □ Constant of the conditions □ Confirm Map Type: Yes □ No to the conditions □ Gleyed/Low Chroma Colors □ Constant □ Other □ Con Hydric Soils List: Yes The conditions □ Cond
Pepth of surface water: Primary Indicators: Secondary Indicators (2 Oxidized Root Channel Comments: GOILS Series/Phase: Histosol Histic Epi High Organic Content Inclusions [Series/Phase]: Depth (in.)	nundated Sat or more requirels in Upper 12: 6 - Andra Typic pedon Sufidi in Surface Layer	(in.) Depth to free water thursted in Upper 12 in. ed): in. Water-stained Leave GG COANSE Same Haplo Karolls ic Odor Aquic Moistur r in Sandy Soils Organ and soils in d	m pit:(in.) Water Marks Drift Line S Local Soil Survey Da dy loam Regime Reducing Co ic Streaking in Sandy Soils wanage ways	Depth to saturated soil:
Pepth of surface water: Primary Indicators: Secondary Indicators (2 Oxidized Root Channel Comments: GOILS Series/Phase: Histosol Histic Epi High Organic Content Inclusions [Series/Phase]: Depth (in.)	nundated Sat or more requirels in Upper 12: 6 - Andra Typic pedon Sufidi in Surface Layer	(in.) Depth to free water thursted in Upper 12 in. ed): in. Water-stained Leave GG COANSE Same Haplo Karolls ic Odor Aquic Moistur r in Sandy Soils Organ and soils in d	m pit:(in.) Water Marks Drift Line S Local Soil Survey Da dy loam Regime Reducing Co ic Streaking in Sandy Soils wanage ways	Depth to saturated soil:
Pepth of surface water: Primary Indicators: Secondary Indicators (2 Oxidized Root Channel Comments: GOILS Series/Phase: Histosol Histic Epi High Organic Content Inclusions [Series/Phase]: Depth (in.)	nundated Sat or more requirels in Upper 12: 6 - Andra Typic pedon Sufidi in Surface Layer	(in.) Depth to free water thursted in Upper 12 in. ed): in. Water-stained Leave GG COANSE Same Haplo Karolls ic Odor Aquic Moistur r in Sandy Soils Organ and soils in d	m pit:(in.) Water Marks Drift Line S Local Soil Survey Da dy loam Regime Reducing Co ic Streaking in Sandy Soils wanage ways	Depth to saturated soil: (in.) Sediment Deposits □ Drainage Patterns in The sediment Deposits □ Other HYDRIC SOILS? Yes □ In Drainage Class: Confirm Map Type: Yes □ No The sediment Deposits □ Core □ Core □ Core □ Core □ Core □ Listed on Hydric Soils List: Yes The No The sediment Deposits □ Other On Hydric Soils List: Yes The No The sediment Deposits □ Other On Hydric Soils List: Yes The No The sediment Deposits □ Other On Hydric Soils List: Yes The No The sediment Deposits □ Other On Hydric Soils List: Yes The No The sediment Deposits □ Other On Hydric Soils List: Yes The No The sediment Deposits □ Other On Hydric Soils List: Yes The No The sediment Deposits □ Other On Hydric Soils List: Yes The No The sediment Deposits □ Other On Hydric Soils List: Yes The No The sediment Deposits □ Other On Hydric Soils List: Yes The No The sediment Deposits □ Other On Hydric Soils List: Yes The No The sediment Deposits □ Other On Hydric Soils List: Yes The No The sediment Deposits □ Other On Hydric Soils List: Yes The No The sediment Deposits □ Other On Hydric Soils List: Yes The No The sediment Deposits □ Other On Hydric Soils List: Yes The No The sediment Deposits □ Other On Hydric Soils List: Yes The No The sediment Deposits □ Other On Hydric Soils List: Yes The No The sediment Deposits □ Other On Hydric Soils List: Yes The No The Sediment Deposits □ Other On Hydric Soils List: Yes The No The Sediment Deposits □ Other On Hydric Soils List: Yes The No The Sediment Deposits □ Other On Hydric Soils
Primary Indicators: Primary Indicators: Secondary Indicators (2 Oxidized Root Channel Comments: GOILS Series/Phase: Histosol Histic Epi High Organic Content Inclusions [Series/Phase]: Depth (in.) High Depth (in.) High High	inundated Sat or more requirels in Upper 12: 6 - Andra Typic pedon Sufidi in Surface Layer Unname	(in.) Depth to free water interacted in Upper 12 in. ed): in. Water-stained Leave in Water-stained Leave in Upper 12 in. Gy coarse scar in Apple xerolls in Organ in Sandy Soils Organ in Sandy Soils in Apple xerolls in Mottle	n pit: (in.) Water Marks □ Drift Line s □ Local Soil Survey Da dy loam e Regime □ Reducing Co ic Streaking in Sandy Soils wainaga ways e Color Mottle (Abur	Depth to saturated soil: (in.) Sediment Deposits □ Drainage Patterns in Test □ Other HYDRIC SOILS? Yes □ No Test □ Other Confirm Map Type: Yes □ No Test □ Other Conditions □ Gleyed/Low Chroma Colors □ Cort of the production of the produ
Depth of surface water: Primary Indicators: I Secondary Indicators (2 Oxidized Root Channel Comments: IOH Series/Phase: IOH Taxonomy [Subgroup]: IHistosol IHistosol IHistosol Inclusions [Series/Phase]: IOH Depth (in.) IHO Comments: IOH Comments: IOH Comments: IOH Comments: IOH Comments: IOH Depth (in.) IHO Comments: IOH Comments: IOH	inundated Sat or more requirels in Upper 12: 6 - Andra Typic pedon Sufidi in Surface Layer Unname	(in.) Depth to free water interacted in Upper 12 in. ed): in. Water-stained Leave in Water-stained Leave in Upper 12 in. Gy coarse scar in Apple xerolls in Organ in Sandy Soils Organ in Sandy Soils in Apple xerolls in Mottle	n pit: (in.) Water Marks Drift Line S Local Soil Survey Da dy loam e Regime Reducing Co ic Streaking in Sandy Soil: wainaga ways e Color Mottle (Abur	Depth to saturated soil: (in.) Sediment Deposits □ Drainage Patterns in the state □ FAC-Neutral Test □ Other HYDRIC SOILS? Yes □ In Drainage Class: Listed Soils List: □ Other On Hydric Soils List: Yes □ Note On Hydric _
Depth of surface water: Primary Indicators: I Secondary Indicators (2 Oxidized Root Channe Comments: SOILS Series/Phase: I Octor Taxonomy [Subgroup]: I Histosol I Histic Epi I High Organic Content Inclusions [Series/Phase]: I Depth (in.) I Hood Comments: I Hood Comments	inundated Sat or more requir els in Upper 12: 6 - Andra Typic pedon Suffidi in Surface Layer Unnam prizon Ma	(in.) Depth to free water interacted in Upper 12 in. ed): in. Water-stained Leave Ge coarse saw Haplo xarolls ic Odor Aquic Moistur r in Sandy Soils Organ and soils in d atrix Color Mottl	m pit:	Depth to saturated soil: (in.) Sediment Deposits □ Drainage Patterns in Ita □ FAC-Neutral Test □ Other HYDRIC SOILS? Yes □ I Drainage Class: all dvaiw Confirm Map Type: Yes □ No of the production of the producti
Depth of surface water: Primary Indicators: I Secondary Indicators (2 Oxidized Root Channel Comments: IOH Series/Phase: IOH Taxonomy [Subgroup]: IHistosol IHistosol IHistosol Inclusions [Series/Phase]: IOH Depth (in.) IHO Comments: IOH Comments: IOH Comments: IOH Comments: IOH Comments: IOH Depth (in.) IHO Comments: IOH Comments: IOH	inundated Sat or more requir els in Upper 12: 6 - Andra Typic pedon Suffidi in Surface Layer Unnam prizon Ma	(in.) Depth to free water interacted in Upper 12 in. ed): in. Water-stained Leave Ge coarse saw Haplo xarolls ic Odor Aquic Moistur r in Sandy Soils Organ and soils in d atrix Color Mottl	m pit:	Depth to saturated soil: (in.) Self-self-self-self-self-self-self-self-s

ATHIACHIMIENTE C

Plant List

Orchard Place Wetland Delineation Plants Observed at Data Points

			Indicator
Abbr.	Scientific Name	Common Name	Status
BRA spe.	<i>Brassica</i> species	Mustard	N/L
CIR ARV	Cirsium arvense	Canada thistle	FAC-
CON ARV	Convolvulus arvensis	Morning glory	N/L
CRY spe.	<i>Crypsis</i> species	Prickle grass	OBL
CYP ERA	Cyperus eragrostis	Tall flatsedge	FACW
ELE ACI	Eleocharis acicularis	Least spikerush	OBL
LEO TAR	Leontodon taraxacoides	Hairy hawkbit	FACU
PAS DIL	Paspalum dilatatum	Dallis grass	FAC
PLA LAN	Plantago lanceolata	English plantain	FAC-
QUE LOB	Quercus lobata	Valley oak	FAC*
RUB DIS	Rubus discolor	Blackberry	FACW*
RUM CRI	Rumex crispus	Curly dock	FACW-
SAL spe.	<i>Salix</i> species	Willow	FACW+
SPE spe.	<i>Sperqularia</i> species	Sandspurry	
TYP spe.	<i>Typha</i> species	Cattail	OBL
VUL BRO	Vulpia bromoides	Vulpia	FACW

Indicator Status Codes

OBL = Obligate Wetland; occur almost always (estimated probability >99%) under natural conditions in wetlands. **FACW** = Facultative Wetland; usually occur in wetlands (estimated probability 67%-99%) under natural conditions in wetlands.

FAC = Facultative; equally likely to occur in wetlands or non-wetlands (estimated probability 34%-66%).

FACU = Facultative Upland; usually occur in non-wetlands (estimated probability 67%-99%).

UPL = Obligate Upland; occur almost always (estimated probability >99%) in non-wetlands in the region specified. **N/L** = Not Listed.

NI = No indicator was recorded for those species for which insufficient information was available to determine a status. -- = May or may not occur in wetlands depending upon species.

A positive (+) sign indicates a frequency toward the higher (more frequently found in wetlands) end of the facultative categories.

A negative (-) sign indicates a frequency toward the lower (less frequently found in wetlands) end of the facultative categories.

An asterisk (*) indicates a tentative assignment based upon limited information or conflicting review.

1.0

1160 Dutton Avenue, #240 P.O. Box 2217, Santa Rosa, CA 95401 Phone: 707-569-3040 Fax: 707-569-3044

Rivendale Homes Inc.

Fax

To: Kaching Kendus	From: Mark Wolfe
Fax: 916 652 1840	Pages: Six w/ lover
Phone:	Date: 3/22/06
Re: Ovcharz Place	CC:
☐ Urgent ☐ For Review ☐ Please Comm	ent □ Please Reply □ Please Recycle
Karny:	
Forwarded with und	FAX are:
1 July 15, 2005 lett	er from ACOE confirming
a) That me "pond"	er from ACOE confirming 12 not under their jurisdiction
and,	0.33 Acres of "WeTlands" on the
SITE	
	thor from comps authorizing verticus.
Mara	

RECEIVED

MAR 2 9 2006

TOWN OF LOOMIS



DEPARTMENT OF THE ARMY

U.S. ARMY ENGINEER DISTRICT, SACRAMENTO CORPS OF ENGINEERS 1325 J STREET

SACRAMENTO, CALIFORNIA 95814-2922

July 15, 2005


ATTENTION OF

REPLY TO

Regulatory Branch (200400889)

Gunther Boccius Rivendale Homes 1160 N. Dutton Ave., Suite 240 Santa Rosa, California 95401

Dear Mr. Boccius:



Based on available information, we concur with the estimate of waters of the United States, as depicted on the October 18, 2004, Figure 2. Wetland Delineation drawing prepared by ECORP Consulting, Incorporated. Approximately 0.33 acres of waters of the United States, including wetlands, are present within the survey area. These waters are regulated under Section 404 of the Clean Water Act since they are tributary to Secret Ravine. Secret Ravine is a tributary to Miners Ravine. Miners Ravine is a tributary to Dry Creek. Dry Creek is a tributary to the Natomas East Main Drainage Canal (NEMDC). The NEMDC is a tributary to the Sacramento River. The Sacramento River is a navigable water of the United States.

The water identified as the non-jurisdictional pond on the above drawing is pond dug in uplands and an intrastate isolated water with no apparent interstate or foreign commerce connection. As such, this water is not currently regulated by the Corps of Engineers. This disclaimer of jurisdiction is only for Section 404 of the Federal Clean Water Act. Other Federal, State, and local laws may apply to your activities. In particular, you may need authorization from the California State Water Resources Control Board and/or the U.S. Fish and Wildlife Service.

This verification is valid for five years from the date of this letter, unless new information warrants revision of the determination before the expiration date. A Notification of Administrative Appeal Options and Process and Request for Appeal form is enclosed. If you wish to appeal this approved jurisdictional determination, please follow the procedures on the form. You should provide a copy of this letter and notice to all other affected parties, including any individual who has an identifiable and substantial legal interest in the property.

.//// 1 8 2005

BY:

This determination has been conducted to identify the limits of Corps of Engineers' Clean Water Act jurisdiction for the particular site identified in this request. This determination may not be valid for the wetland conservation provisions of the Food Security Act of 1985. If you or your tenant are USDA program participants, or anticipate participation in USDA programs, you should request a certified wetland determination from the local office of the Natural Resources Conservation Service, prior to starting work.

Please refer to identification number 200400889 in any correspondence concerning this project. If you have any questions, please contact Andrea Jones at our Sacramento Valley Office, 1325 J Street, Room 1480, Sacramento, California 95814-2922, email Andrea. J. Jones @usace.army.mil, or telephone 916-557-7745. You may also use our website: www.spk.usace.army.mil/regulatory.html.

Sincerely,

Michael C. Finan

Acting Chief, Central California/

Nevada Section

Enclosure

Copy furnished without enclosure:

Craig Hiatt, ECORP Consulting, Incorporated, 2260 Douglas Blvd., Suite 160, Roseville, California 95661-4209

George Day, Storm Water and Water Quality Certification Unit, Central Valley Regional Water Quality Control Board, 11020 Sun Center Drive #200, Rancho Cordova, California 95670-6114

Oscar Balaguer, Chief, Water Quality Certification Unit, California State Water Resources
Control Board, 1001 I Street, Sacramento, California 95814

U.S. Fish and Wildlife Service, Wetlands Branch, 2800 Cottage Way, Suite W2605, Sacramento, California 95825-3901

U.S. Fish and Wildlife Service, Endangered Species Division, 2800 Cottage Way, Suite W2605, Sacramento, California 95825-3901




DEPARTMENT OF THE ARMY

U.S. ARMY ENGINEER DISTRICT, SACRAMENTO CORPS OF ENGINEERS 1325 J STREET SACRAMENTO, CALIFORNIA 95814-2922

REPLY TO ATTENTION OF

July 29, 2005

Regulatory Branch (200400889)



RECEIVED

MAR 2 9 2006

Mark Wolfe Rivendale Homes 1160 N. Dutton Ave., Suite 240 Santa Rosa, California 95401-4671

TOWN OF LOOMIS

Dear Mr. Wolfe:

We are responding to your April 12, 2005 request for a Department of the Army permit for the Orchard Place residential development. This approximately 6.3-acre project involves activities, including discharges of dredged or fill material, in waters of the United States to construct a residential development. The site is located in Section 3, Township 11 North, Range 7 East, MDB&M, Latitude 038° 50' 0.54", Longitude 121° 10' 48.8", in the City of Loomis, Placer County, California.

Based on the information you provided, the proposed activity in approximately 0.331 acres of seasonal wetlands associated with unnamed drainages tributary to Secret Ravine is authorized by Nationwide Permit Number 39 for Residential, Commercial, and Institutional Developments. However, the State has not issued water quality certification under Section 401 of the Clean Water Act for this permit. The work may not proceed until certification is obtained from the State water quality agency at the address below. Work may then proceed subject to the terms and conditions of certification. Your work must comply with the general terms and conditions listed on the enclosed Nationwide Permit information sheets and the following special conditions:

- 1. To mitigate for the loss of 0.331 acres of waters of the United States, you shall purchase 0.331 credits of seasonal wetlands at a Corps approved wetland mitigation bank. The selected mitigation bank shall include the area of the permitted project within its service area. Evidence of this purchase shall be provided to this office prior to proceeding with any activity otherwise authorized by this permit. A list of approved mitigation banks has been included for your reference.
- 2. You shall have a biologist, who is familiar with seasonal wetlands and intermittent streams, monitor all construction activities within 250 feet of seasonal wetland and drainage features adjacent to the project site. The monitor shall ensure no unauthorized activities occur on adjacent properties during project implementation.

3. You must allow representatives from the Corps of Engineers to inspect the authorized activity and any avoidance areas at any time deemed necessary to ensure that it is being or has been accomplished in accordance with the terms and conditions of your permit.

You must sign the enclosed Compliance Certification and return it to this office within 30 days after completion of the authorized work.

This verification is valid for two years from the date of this letter, or until the Nationwide Permit is modified or expires, whichever comes first. The Nationwide Permit is scheduled to expire on March 18, 2007. It is incumbent upon you to remain informed about changes to the Nationwide Permit Program.

Please refer to identification number 200400889 in any correspondence concerning this project. If you have any questions, please contact Andrea Jones at our Sacramento Valley Office, 1325 J Street, Room 1480, Sacramento, California 95814-2922, email Andrea. J. Jones @usace. army. mil, or telephone 916-557-7745. You may also use our website: http://www.spk.usace.army.mil/regulatory.html.

Sincerely,

Thomas J. Cavaraugh

Chief, Sacramento Valley Office

Enclosures

Copy furnished without enclosures:

Craig Hiatt, ECORP Consulting, Incorporated, 2260 Douglas Blvd., Suite 160, Roseville, California 95661-4209

George Day, Storm Water and Water Quality Certification Unit, Central Valley Regional Water Quality Control Board, 11020 Sun Center Drive #200, Rancho Cordova, California 95670-6114

Terry Roscoe, California Department of Fish and Game Region 2, 1701 Nimbus Drive, Rancho Cordova, California 95670-4599

U.S. Fish and Wildlife Service, Wetlands Branch, 2800 Cottage Way, Suite W2605, Sacramento, California 95825-3901

U.S. Fish and Wildlife Service, Endangered Species Division, 2800 Cottage Way, Suite W2605, Sacramento, California 95825-3901

Rodney R. McInnis, Acting Regional Administrator, National Marine Fisheries Service, 650 Capitol Mall, Suite 8-300, Sacramento, California 95814-4706

Γ. υ

COMPLIANCE CERTIFICATION

Permit File Number: 200400889

Nationwide Permit Number:

RECEIVED

MAR 2 9 2000

Permittee: Mark Wolfe

Rivendale Homes

1160 N. Dutton Ave., Suite 240

Santa Rosa, California 95401-4671

TOWN OF LOOMIS

County: Placer

Date of Verification: July 29, 2005

Within 30 days after completion of the activity authorized by this permit, sign this certification and return it to the following address:

U.S. Army Corps of Engineers Regulatory Branch Sacramento Valley Office 1325 J Street, Room 1480 Sacramento, California 95814-2922 916-557-5261

Please note that your permitted activity is subject to a compliance inspection by a U.S. Army Corps of Engineers representative. If you fail to comply with the terms and conditions of the permit your authorization may be suspended, modified, or revoked. If you have any questions about this certification, please contact the Corps of Engineers.

I hereby certify that the work authorized by the above-referenced permit, including all the required mitigation, was completed in accordance with the terms and conditions of the permit verification.

* * * * * * * * *